

Safety Data Sheet (SDS)

No.: 0001

Rev Date: 06/01/2015

Rev No.: 01

INSECTO

NFPA FIRE HAZARD SYMBOL

See NFPA 704 for detailed explanation * See Section 3 HAZARD IDENTIFICATION

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME(S):

INSECTO An Insecticide for Control of Grain Insects and House Insects

GENERIC NAME

NATURAL DIATOMACEOUS EARTH

CAS: 61790-53-2

CHEMICAL NAME

SILICA

EINECS: 310-127-6

MANUFACTURER

Natural Insecto Products, Inc.

FORMULA: SiO2

ADDRESS

221 Sherwood Pl, PO Box 12138

CITY : Costa Mesa STATE: CA

TELEPHONE: 949-548-4275

EMERGENCY: CHEMTREC-USA 800-424-9300

Int'i (703) 527-3887

ZIP: 2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS NUMBER	%	PEL AND TLV (except as noted)
NATURAL DIATOMACEOUS EARTH (DE) - AMORPHOUS SILICA	61790-53-2	100	
THIS PRODUCT MAY CONTAIN UP TO 7.0% CRYSTALLINE SILICA.			
CRISTOBALITE	14464-46-1	< 3.0	.025mg/M³ RESPIRABLE CRISTOBALITE, OSHA
QUARTZ	14808-60-7	< 4.0	.025mg/M ³ RESPIRABLE QUARTZ, ACGIH

3. HAZARD IDENTIFICATION

Summary: THIS PRODUCT CONTAINS CRYSTALLINE SILICA (CS), WHICH IS CONSIDERED A HAZARD BY INHALATION. IARC HAS CLASSIFIED INHALATION OF CS AS CARCINOGENIC FOR HUMANS (GROUP 1). CS IS LISTED BY NTP AS A KNOWN HUMAN CARCINOGEN. INHALATION OF CS IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE.

Medical Conditions Which May Be Aggravated: PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS, BUT NOT LIMITED TO, BRONCHITIS, EMPHYSEMA AND ASTHMA. Target Organ(s): LUNGS, EYES

Acute Health Effects

TRANSITORY UPPER RESPIRATORY OR EYE IRRITATION.

Chronic Health Effects

INHALATION OF CRYSTALLINE SILICA HAS BEEN CLASSIFIED BY IARC AS CARCINOGENIC FOR HUMANS (GROUP 1). INHALATION OF CRYSTALLINE SILICA IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE CAUSED BY EXCESSIVE EXPOSURE TO CRYSTALLINE SILICA

Primary Entry Route(s)

INHALATION, DUST CONTACT WITH EYES.

Inhalation

IRRITATION AND SORENESS IN THROAT AND NOSE. IN EXTREME EXPOSURES, SOME CONGESTION MAY OCCUR.

Eves

TEMPORARY IRRITATION OR INFLAMMATION

Skin Contact

N/A

Skin Absorption

Ingestion: NOT HAZARDOUS WHEN INGESTED

4. FIRST AID MEASURES

Inhalation Eves

REMOVE TO FRESH AIR. DRINK WATER TO CLEAR THROAT AND BLOW NOSE TO EVACUATE DUST.

Skin Contact

NIA

FLUSH EYES WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN. Skin Absorption

: N/A

UEL: N/A

Ingestion: N/A

5. FIRE FIGHTING MEASURES

Flash Point (Method)

NONFLAMMABLE

Flammable Limits

NFPA Flammable / Combustible Liquid Classification: N/A

Extinguishing Media

LEL: N/A N/A

Auto-Ignition Temperature: N/A

Unusual Fire or Explosion Hazards: NONE

Special Fire-Fighting Procedures: NONE

6. ACCIDENTIAL RELEASE MEASURES

Procedures for Spill / Leak

VACUUM CLEAN DUST WITH EQUIPMENT FITTED WITH HEPA FILTER. USE A DUST SUPPRESSANT SUCH AS WATER IF SWEEPING IS NECESSARY.

SDS:

0001

7. HANDLING AND STORAGE

MINIMIZE DUST GENERATION AND ACCUMULATION. AVOID BREATHING DUST; AVOID CONTACT WITH EYES. SEAL BROKEN BAGS IMMEDIATELY. CONTINUE TO FOLLOW ALL MSDS / LABEL WARNINGS WHEN HANDLING EMPTY CONTAINERS.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Goggles

GOGGLES OR SAAFETY GLASSES WITH SIDESHIELDS ARE RECOMMENDED.

Gloves

NOT NORMALLY REQUIRED.

Respirator

<10X PEL, USE AN N95 QUARTER- OR HALF-MASK RESPIRATOR; <50X PEL, USE A FULL-FACE RESPIRATOR EQUIPPED WITH N95 FILTERS; <200X PEL, USE A POWERED AIR PURIFYING RESPIRATOR (POSITIVE PRESSURE)

WITH N95 FILTERS; >200X PEL, USE A FULL-FACE, TYPE C SUPPLIED-AIR RESPIRATOR (CONTINUOUS FLOW MODE).

Ventilation

USE SUFFICIENT NATURAL OR MECHANICAL VENTILATION TO KEEP DUST LEVEL BELOW PEL.

Other: Special Considerations for Repair/Maintenance of Contaminated Equipment: INSURE PROPER RESPIRATORY PROTECTION.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor

FINE GRAY POWDER: NO ODOR

Boiling Point Vapor Pressure

N/A N/A Evaporation Rate (**Melting Point**

N/A Specific Gravity (Water = 1) ND % Volatile by Volume Hq

2.3 NI

Water Solubility (%)

NA

:

:

Vapor Density (Air = 1)

NIA

5-10

10. STABILITY AND REACTIVITY

MATERIAL IS STABLE; HAZARDOUS POLYMERIZATION CANNOT OCCUR Chemical Incompatibilities

:

HYDROFLUORIC ACID

Conditions to Avoid

:

NONE IN DESIGNED USE

11. TOXICOLOGICAL INFORMATION

THIS PRODUCT CONTAINS CRYSTALLINE SILICA (CS), WHICH IS CONSIDERED A HAZARD BY INHALATION, IARC HAS CLASSIFIED CS AS CARCINOGENIC FOR HUMANS (GROUP 1). CS IS LISTED BY NTP AS A KNOWN HUMAN CARCINOGEN. CS IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE.

12. ECOLOGICAL INFORMATION

GENERALLY CONSIDERED CHEMICALLY INERT IN THE ENVIRONMENT. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANT AND SHOULD BE EVALUATED ACCORDINGLY.

13. DISPOSAL CONSIDERATIONS

WASTE IS NOT HAZARDOUS AS DEFINED BY RCRA (40 CFR 261). OTHER STATE AND LOCAL REGULATIONS MAY VARY; CONSULT LOCAL AGENCIES AS NEEDED. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANTS AND SHOULD BE EVALUATED ACCORDINGLY

14. TRANSPORTATION INFORMATION

D.O.T. Proper Shipping Name

EARTH, DIATOMACEOUS, CRUDE OR GROUND

Reportable Quantities

N/A

UN (United Nations) / NA (North America) Number

N/A

Hazard Classification

NOT CLASSIFIED

15. REGULATORY INFORMATION

OSHA Hazard Communications Standard, 29 CFR 1910,1200 RCRA

MATERIAL IS CONSIDERED HAZARDOUS: SEE SECTION 3.

TSCA

THIS MATERIAL IS NOT DEFINED AS HAZARDOUS WASTE PER 40 CFR 261

THIS MATERIAL IS LISTED IN THE TSCA INVENTORY, AND IS NOT OTHERWISE REGULATED BY TSCA SEC. 4, 5, 6, 7 OR 12.

CERCLA :

MATERIAL IS NOT REPORTABLEUNDER GERCLA; LOCAL REQUIREMENTS MAY VARY.

SARA

311/312 HAZARD CATAGORIES - IMMEDIATE AND DELAYED HEALTH; 313 REPORTABLE INGREDIENTS - NONE.

Canada California Proposition 65

THIS PRODUCT IS LISTED ON THE DSL THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

16. OTHER INFORMATION

Storage Segregation Hazard Classes

N/A

Special Handling / Storage

REPAIR ALL BROKEN BAGS IMMEDIATELY

Special Workplace Engineering Controls

ADEQUATE VENTILATION TO KEEP DUST LEVEL BELOW PEL

PREPARED / REVISED BY:

JIM HUBER

TITLE:

PRESIDENT

AS OF THE DATE OF PREPARATION OF THIS DOCUMENT, THE FOREGOING INFORMATION IS BELIEVED TO BE ACCURATE AND IS PROVIDED IN GOOD FAITH TO COMPLY WITH APPLICABLE FEDERAL AND STATE LAW(S); HOWEVER, NO WARRANTY OR REPRESENTATION WITH RESPECT TO SUCH INFORMATION IS INTENDED OR GIVEN.